

Environmental Mitigation Project List: Wetlands						
Project	From—To	Jurisdiction	Possible Alternative	Project Type	Length	County
2011-2014						
10 Mile Rd	West of Wolven—Chilsdale Ave	KCRC—Algoma Twp	Reconstruct and widen to 5 lanes (2-5) by 2011	Widen	1.29	Kent
12th Ave	Port Sheldon St—Baldwin St	OCRC—Georgetown Twp	Resurface existing roadway by 2011	Preservation	1.28	Ottawa
17 Mile Rd	US-131 Ramps—West St	KCRC—Solon Twp	Resurface existing roadway by 2012	Preservation	0.60	Kent
A-37/24th St	Byron Rd—Ottogan St	OCRC—Jamestown Twp	Resurface existing roadway by 2011	Preservation	3.00	Ottawa
28th St	Kraft Ave—I-96 Ramps	KCRC—Cascade Twp	Resurface existing roadway by 2014	Preservation	0.30	Kent
32nd Ave	M-121/Chicago Dr—Highland Dr	City of Hudsonville	Resurface existing roadway by 2012	Preservation	1.23	Ottawa
4 Mile Rd	Walker Ave—Old Orchard Ave	KCRC—Alpine Twp	Reconstruct and Add Center Turn Lane (2-3) by 2014	Widen	1.90	Kent
44th St	8th Ave—Kenowa Ave	OCRC—Georgetown Twp	Rotomill/resurface existing roadway by 2014	Preservation	1.00	Ottawa
54th St	Clyde Park Ave—Division Ave	City of Wyoming	Resurface existing roadway by 2012	Preservation	1.00	Kent
68th St	Clyde Park Ave—Burlingame Ave	KCRC—Byron Twp	Resurface existing roadway by 2014	Preservation	1.00	Kent
76th St	Sierrafield Dr—Burlingame Ave	KCRC—Byron Twp	Resurface existing roadway by 2013	Preservation	0.31	Kent
84th St	Clyde Park Ave—Division Ave	KCRC—Byron Twp	Resurface existing roadway by 2012	Preservation	1.00	Kent
84th St	Division Ave—Kalamazoo Ave	KCRC—Gaines Twp	Resurface existing roadway by 2014	Preservation	2.00	Kent
8th Ave	Port Sheldon St—44th St	OCRC—Georgetown Twp	Reconstruct and Add Center Turn Lane (2-3) by 2011	Preservation	0.54	Ottawa
Ada Dr	Fox Hollow Ave—Thornapple River Dr	KCRC—Grand Rapids Twp	Resurface existing roadway by 2011	Preservation	1.31	Kent
Baldwin St	20th Ave—Cottonwood Dr	OCRC—Georgetown Twp	Resurface existing roadway by 2013	Preservation	2.00	Ottawa
Ball Creek Rd	NW village limit—Rusco St	Village of Kent City	Resurface existing roadway by 2014	Preservation	1.22	Kent
Bauer Rd	56th Ave—24th Ave	OCRC—Georgetown Twp	Resurface existing roadway by 2012	Preservation	4.00	Ottawa
Bauer Rd	24th Ave—Cottonwood Dr	OCRC—Georgetown Twp	Resurface existing roadway by 2014	Preservation	1.50	Ottawa
Breton Ave	28th St—Burton St	City of Grand Rapids	Resurface existing roadway by 2011	Preservation	1.00	Kent
Bristol Ave	4 Mile Rd—3 Mile Rd	City of Walker	Resurface existing roadway by 2011	Preservation	0.98	Kent
Buchanan Ave	Alger St—Burton St	City of Grand Rapids	Rotomill/resurface existing roadway by 2014	Preservation	0.49	Kent
Canal Ave	Chicago Dr—44th St	City of Grandville	Resurface existing roadway by 2014	Preservation	1.50	Kent
Carlton Ave	Lake Dr—Fulton St	City of Grand Rapids	Rotomill/resurface existing roadway by 2014	Preservation	0.35	Kent
Cascade Rd	Snow Ave—Timpson Ave	KCRC—Lowell Twp	Resurface existing roadway by 2012	Preservation	2.00	Kent
Cascade Rd	Timpson Ave—Segwun Ave	KCRC—Lowell Twp	Resurface existing roadway by 2013	Preservation	2.25	Kent
Cascade Rd	Segwun Ave—County line	KCRC—Lowell Twp	Resurface existing roadway and remove bridge by 2014	Preservation	1.75	Kent
Cherry St	Market Ave—Grandville Ave	City of Grand Rapids	Resurface existing roadway by 2011	Preservation	0.12	Kent
Clyde Park Ave	60th St—68th St	KCRC—Byron Twp	Resurface existing roadway by 2011	Preservation	1.00	Kent
Clyde Park Ave	28th St—54th St	City of Wyoming	Resurface existing roadway by 2012	Preservation	3.25	Kent
Clyde Park Ave	76th St—84th St	KCRC—Byron Twp	Resurface existing roadway by 2012	Preservation	1.00	Kent
Clyde Park Ave	0.1 mi N of 76th St—0.1 mi S of 68th St	KCRC—Byron Twp	Reconstruct and Add Center Turn Lane (2-3) by 2012	Widen	0.80	Kent
Coit Ave	Kendalwood Ave—North Park St	City of Grand Rapids	Rotomill/resurface existing roadway by 2011	Preservation	0.17	Kent
Division Ave	54th St—60th St	City of Kentwood	Reconstruct and partial blvd. by 2014 (AC)	Widen	0.75	Kent
East Paris Ave	44th St—Barden Dr	City of Kentwood	Reconstruct existing roadway by 2014	Preservation	0.66	Kent
East Paris Ave	Cascade Rd—Kentwood city limit	KCRC—Grand Rapids Twp	Resurface existing roadway by 2014	Preservation	0.50	Kent
Elmridge Dr	3 Mile Rd—South city limit	City of Walker	Reconstruct existing roadway by 2012	Preservation	0.59	Kent
Forest Hill Ave	I-96—Burton St	City of Kentwood	Reconstruct and add turn lanes and curb and gutter by 2011 (AC)	Preservation	0.54	Kent
Forest Hill Ave	I-96—North city limit	City of Kentwood	Reconstruct and add turn lanes and curb and gutter by 2011 (AC)	Preservation	0.92	Kent
Forest Hill Ave	Kentwood city limit—Cascade	KCRC—Grand Rapids Twp	Reconstruct and Add Center Turn Lane (2-3) by 2011	Widen	0.35	Kent

Environmental Mitigation Project List: Wetlands						
Project	From—To	Jurisdiction	Possible Alternative	Project Type	Length	County
Forest Hill Ave	Ada Dr—M-21/E Fulton St	KCRC—Grand Rapids Twp	Reconstruct and Add Center Turn Lane (2-3) by 2012	Widen	1.05	Kent
Highland Dr	32nd Ave—Creek View Dr	City of Hudsonville	Resurface existing roadway by 2013	Preservation	0.63	Ottawa
Ivanrest Ave	North city limit—56th St	City of Wyoming	Resurface existing roadway by 2013	Preservation	1.00	Kent
Kraft Ave	52nd St—60th St	KCRC—Cascade Twp	Resurface and reconstruct existing roadway by 2013	Preservation	1.00	Kent
Lake Dr	East Beltline—East city limit	City of Grand Rapids	Rotomill/resurface existing roadway by 2014	Preservation	0.25	Kent
Lake Michigan Dr	Garfield Ave—US-131	City of Grand Rapids	Rotomill/resurface existing roadway by 2014	Preservation	1.06	Kent
Lakeside Dr	Greenwood Dr—Wealthy St	City of East Grand Rapids	Reconstruct existing roadway by 2014	Preservation	0.36	Kent
Leonard St	I-96 EB Ramps—I-96 WB Ramps	City of Grand Rapids	Resurface existing roadway by 2013	Preservation	0.20	Kent
Leonard St	I-96 WB Ramps—M-44/East Beltline Ave	City of Grand Rapids	Resurface existing roadway by 2013	Preservation	0.63	Kent
Leonard St	Maryland Ave—I-96 EB Ramps	City of Grand Rapids	Resurface existing roadway by 2013	Preservation	0.20	Kent
Leonard St	Plymouth Ave—Maryland Ave	City of Grand Rapids	Resurface existing roadway by 2013	Preservation	0.74	Kent
Leonard St	24th Ave—Kenowa Ave	OCRC—Tallmadge Twp	Resurface existing roadway by 2013	Preservation	3.40	Ottawa
Lincoln Lake Ave	McPherson St—3 Mile Rd	KCRC—Vergennes Twp	Resurface existing roadway by 2011	Preservation	2.00	Kent
M-11/28th St	M-37/East Beltline Ave—I-96	MDOT	Mill, joints, resurface and concrete reconstruction by 2011	Preservation	0.00	Kent
Monroe Ave	Ottawa Ave—US-131BR/Leonard St	City of Grand Rapids	Resurface existing roadway by 2011	Preservation	0.25	Kent
Monroe Ave	Knapp St—North Park St	City of Grand Rapids	Resurface existing roadway by 2013	Preservation	1.69	Kent
Northland Dr	Indian Lakes Rd—South St	KCRC—Algoma Twp	Reconstruct and Add Center Turn Lane (2-3) - Access Management by 2013	Widen	1.20	Kent
Pettis Ave	Knapp St—Egypt Valley Ave	KCRC—Ada Twp	Resurface existing roadway by 2012	Preservation	2.38	Kent
Plainfield Ave	3 Mile Rd—I-96	City of Grand Rapids	Resurface existing roadway by 2012	Preservation	0.60	Kent
Plainfield Ave	US-131BR/Leonard St—Ann St	City of Grand Rapids	Resurface existing roadway by 2012	Preservation	0.85	Kent
Remembrance Rd	Leonard St—Walker Village Dr	City of Walker	Resurface and reconstruct existing roadway by 2014	Preservation	0.48	Kent
Richmond St	Alpine Ave—Scribner Ave	City of Grand Rapids	Rotomill/resurface existing roadway by 2014	Preservation	0.58	Kent
Rivertown Pkwy	Wilson Ave—Canal Ave	City of Grandville	Resurface existing roadway by 2012	Preservation	0.44	Kent
Sparta Ave	M-37—12 Mile Rd	KCRC—Sparta Twp	Resurface existing roadway by 2011	Preservation	1.45	Kent
Turner Ave	Ann St—US-131 SB Ramps	City of Grand Rapids	Rotomill/resurface existing roadway by 2014	Preservation	0.27	Kent
US-131	I-196—Ann St	MDOT	Replace Freeway Lighting	Preservation	0.00	Kent
US-131 NB	US-131BR/Leonard St—Ann St	MDOT	Add NB and SB weave/merge lanes by 2011	Widen	0.50	Kent
West River Dr	Rogue River bridge—M-44/Northland Dr	KCRC—Plainfield Twp	Reconstruct and Add Center Turn Lane (4-5) by 2011	Widen	0.75	Kent
I-96	under M-50/Alden Nash Ave	MDOT	Bridge replacement preliminary engineering by 2011	Preservation	0.00	Kent
Knapp St	at Grand River Dr	KCRC—Ada Twp	Add turn lanes at the intersection by 2013	Widen	0.10	Kent
M-11	at Ivanrest & Byron Center Aves	MDOT	Intersection reconstruction by 2013	Preservation	0.00	Kent
M-6	at M-37/Broadmoor Ave and 60th St	MDOT	Crack sealing by 2011	Preservation	0.00	Kent
M-6	at 8th Ave NE quadrant	MDOT	Crack sealing by 2011	Preservation	0.00	Ottawa
2015-2018						
3 Mile Rd	West of Walker Ave—Indian Mill Creek	City of Walker	Widen to 4 lanes with RR bridge improvement	Widen	0.35	Kent
Burton St	Spaulding Ave—Patterson Ave	KCRC—Cascade Twp	Reconstruct and Add Center Turn Lane (2-3) (Constrained by I-96 Overpass)	Widen	0.50	Kent
Lake Michigan Dr	US-131—Garfield Ave	City of Grand Rapids	Reconfigure within Existing ROW to 3 lanes - Enhance Transit Capacity (2-3)	Widen	1.06	Kent
Leonard St	Plainfield Ave—Diamond Ave	City of Grand Rapids	Reconfigure within Existing ROW to 3 lanes (2-3)	Widen	1.14	Kent
US-131 SB	US-131BR/Leonard St—Ann St	MDOT	Add NB and SB weave/merge lanes by 2011	Widen	0.50	Kent
I-196	WB over the Grand River—US-131	MDOT	Extend WB to SB off ramp to complete US-131 to Fuller Avenue segment by 2015	Widen	0.25	Kent

Environmental Mitigation Project List: Wetlands						
Project	From—To	Jurisdiction	Possible Alternative	Project Type	Length	County
I-196	Fuller Ave—I-96	MDOT	Rehabilitation of exiting road and bridges by 2018	Preservation	2.00	Kent
2019-2025						
48th Ave	Pierce St—M-45/Lake Mich. Dr	OCRC—Allendale Twp	Reconstruct to continuous 3 lanes with Non-Motorized Lanes (2-3)	Widen	1.01	Ottawa
56th St	Ivanrest Ave—Byron Center Ave	City of Wyoming	Reconstruct and Add Center Turn Lane (2-3)	Widen	1.00	Kent
68th Ave	M-45/Lake Mich. Dr—Warner St	OCRC—Allendale Twp	Reconstruct and Add Center Turn Lane (2-3)	Widen	1.51	Ottawa
68th Ave	Warner Ave—Leonard St	OCRC—Allendale Twp	Reconstruct and Add Center Turn Lane (2-3)	Widen	1.55	Ottawa
Bridge St	Mount Vernon Ave—Straight Ave	City of Grand Rapids	Reconfigure within Existing ROW to 3 lanes (2-3)	Widen	0.44	Kent
I-196	Fuller Ave—I-96	MDOT	Preserve and widen from 2 to 3 lanes in each direction, add weave merge lanes by 2025	Widen/Preserve	2.00	Kent
Lake Dr	Carleton Ave—City limit	City of Grand Rapids	Reconfigure within Existing ROW to 3 lanes - Enhance Transit Capacity (2-3)	Widen	0.37	Kent
M-44/M-37/East Beltline	Knapp St—M-21/E Fulton St	MDOT	Preserve and widen from 2 to 3 lanes in each direction by 2020	Widen/Preserve	2.50	Kent
Spaulding Ave	Ada Dr—Cascade Rd	KCRC—Ada Twp	Reconstruct and Add Center Turn Lane (2-3)	Widen	0.45	Kent
Walker Ave	North Ridge Dr—4 Mile Rd	City of Walker	Reconstruct and Add Center Turn Lane (2-3)	Widen	0.32	Kent
I-96	at M-21/E Fulton St	MDOT	Add additional ramps by 2020	Widen	0.25	Kent
2026-2035						
I-96	Leonard St—Cascade Rd	MDOT	Operational improvements; add ramps, collector distributor lanes with I-96/I-196 interchange, and widen per the EA and LRTP projects by 2030	Widen/Preserve	3.75	Kent